Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	544500	(scan adj chain) same (register) same (scan adj mode) samd (clock)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 16:56
L2	1	(SOC) same ((single adj step) adj execution)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 17:15
S1	2214	716/4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 14:43
S2	1710	716/5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 14:08
S3	1764	716/1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 14:08
S4	2214	(716/4)"." adj (debug\$ same (SOC or (system adj on adj chip)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 14:52
S5	12	(716/4).ccls. and (debug\$ same (SOC or (system adj on adj chip)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 14:57
S6	6	(716/5).ccls. and (debug\$ same (SOC or (system adj on adj chip)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 14:57
S7	36	("716"/\$).ccls. and (debug\$ same (SOC or (system adj on adj chip)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 14:58
S8	17	("716"/1).ccls. and (debug\$ same (SOC or (system adj on adj chip)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 14:59

			T.,			
S9	218	(debug\$ same (SOC or (system adj on adj chip)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 15:00
S10	65	(debug\$ same (SOC or (system adj on adj chip))) and (clock and (breakpoint or (break adj point)) and trigg\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 16:08
S11	0	(debug\$ same (SOC or (system adj on adj chip))) and (clock same (breakpoint or (break adj point)) same trigg\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 15:02
S12	2	("6754852").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 15:12
S13	9	(debug\$ same (SOC or (system adj on adj chip))) and (clock adj control) and ((breakpoint or (break adj point)) and trigg\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 15:53
S14	0	(debug\$ same (SOC or (system adj on adj chip))) and (clock adj control) and ((breakpoint or (break adj point)) same event) and trigg\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 15:59
S15	0	(debug\$ same (SOC or (system adj on adj chip))) and (clock adj control) and ((breakpoint or (break adj point)) same event)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 15:59
S16	4	(debug\$ same (SOC or (system adj on adj chip))) and (clock and (breakpoint or (break adj point)) and trigg\$) and (cycle same stepping)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/10 16:10
S17	99	(debug\$ and (SOC or (system adj on adj chip))) and (clock and (breakpoint or (break adj point)) and trigg\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 10:02
S18	71	(debug\$ same (SOC or (system adj on adj chip))) and (clock and (breakpoint or (break adj point)) and trigg\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 10:02

				1	1	,
S19	11	(debug\$ same (SOC or (system adj on adj chip))) and (clock adj control) and ((breakpoint or (break adj point)) same event\$2) and (trigg\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 10:38
S20	1	((debug\$ same (SOC or (system adj on adj chip))) and (clock adj control) and ((breakpoint or (break adj point)) same event\$2) and (trigg\$)).CLM.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 10:39
S21	1	(debug\$ same (SOC or (system adj on adj chip))) and (functional adj block\$2) and (clock adj control) and (debug adj trigger) and ((breakpoint or (break adj point)) same event\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 10:44
S22	1	((debug\$ same (SOC or (system adj on adj chip))) and (functional adj block\$2) and (clock adj control) and (debug adj trigger) and ((breakpoint or (break adj point)) same event\$2)).CLM.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 10:47
S23	1	((debug\$ same (SOC or (system adj on adj chip))) and ((functional adj block\$2) same (clock adj control)) and (debug adj trigger) and event\$2).CLM.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 10:51
S24	1	((debug\$ same (SOC or (system adj on adj chip))) and ((functional adj block\$2) and (clock adj control)) and (debug adj trigger) and event\$2).CLM.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 10:51
S25	2	((debug\$ same (SOC or (system adj on adj chip))) and ((functional adj block\$2) and (clock adj control)) and (debug adj trigger) and event\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/05 10:51
S26	3	(debug\$ same (SOC or (system adj on adj chip)) and (function\$3 adj block\$2) same (clock adj control))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 13:06
S27	5	(debug\$ same (SOC or (system adj on adj chip)) and (function\$3 adj block\$2) and (clock adj control))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 13:06
S28	19	(breakpoint\$4 same event\$2) and (monitor\$4 adj events)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 17:12

S29	1	(breakpoint\$4 same event\$2) and (monitor\$4 adj events) and (SOC)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 15:55
S30	11	(debug\$ same (SOC or (system adj on adj chip))) and (clock adj control) and (breakpoint same event\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 16:21
S32	4	(debug\$ same (SOC or (system adj on adj chip))) same (functional adj blocks)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 16:22
S33	52	(debug\$ same (SOC or (system adj on adj chip))) and (functional adj blocks)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/06 16:34



SOC debug functional blocks events clock con Search Scholar Preferences

Tip: Try removing quotes from your search to get more results.

Your search - SOC debug functional blocks events clock control "breakpointing control" - did not match any articles.

Suggestions:

- Make sure all words are spelled correctly.
- Try different keywords.
- Try more general keywords.
- Try fewer keywords.
- Try your query on the entire web.

Google Home - About Google - About Google Scholar

©2005 Google



SOC debug functional blocks events clock con

Search

Advanced Scholar Search Scholar Preferences Scholar Help

Scholar Results 1 - 5 of 5 for SOC debug functional blocks events clock control "breakpoint control". (0.

Tip: Try removing quotes from your search to get more results.

Automatic Generation of JTAG Interface and Debug Mechanism for ASIPs

O Schliebusch, R ISS, D Kammler, R ISS, A ... - iss.rwth-aachen.de ... write paths coming from functional units are routed to ... generation targets complex System-on-Chip (SoC) designs and ... The impact of a debug mechanism to the gate ... View as HTML - Web Search

ARM1022E™

P Notice, C Status, P Status - rivier.edu ... ARM DDI 0237A 14.4 Output clock behavior ... 10-6 Table 10-5 Encoding of debug status and control register ... 12-39 Table 12-21 Test signals in functional mode ... Web Search - nalanda.nitc.ac.in - arm.com - scarpaz.com - all 6 versions »

ARM1020E™

P Notice, C Status, P Status - samsung.com ... 14-11 14.6 Output **clock** balancing ... 10-6 Table 10-5 Encoding of **debug** status and **control** register ... 12-39 Table 12-21 Test signals in **functional** mode ... <u>View as HTML - Web Search</u>

Technical Reference Manual

P Notice, C Status, P Status - dii.unisi.it 13-25 13.6 **Debug events** 13-28 13.7 **Debug ...** Web Search - arm.com - angelfire.com - nalanda.nitc.ac.in - all 41 versions »

ARM1026EJ-S

P Notice, C Status, P Status - arm.com
... 4-2 4.2 Clock interfaces ... 8-16 Table 8-14 Read PC value after debug state entry ...
20-10 Table 20-5 Test port connections in functional mode ...
Web Search - armltd.co.uk - nalanda.nitc.ac.in

. . .

SOC debug functional blocks events Search

Google Home - About Google - About Google Scholar

©2005 Google



Home | Login | Logout | Access Information | Alerts |

Welcome United States Patent and Trademark Office ☐ Search Results **BROWSE SEARCH IEEE XPLORE GUIDE** Results for "(((soc) <and> (debug) <and> (function blocks))<in>metadata)" ⊠e-mail Your search matched 0 documents. A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order. » Search Options View Session History **Modify Search** New Search (((soc) <and> (debug) <and> (function blocks))<in>metadata) >> Check to search only within this results set » Key Display Format: © Citation © Citation & Abstract IEEE JNL IEEE Journal or Magazine IEE Journal or Magazine **IEE JNL** No results were found. IEEE CNF IEEE Conference Proceeding Please edit your search criteria and try again. Refer to the Help pages if you need assistan IEE Conference **IEE CNF** search. Proceeding IEEE STD IEEE Standard ٠,٠

Indexed by #Inspec Help Contact Us Privacy &:

© Copyright 2005 IEEE -

- -



Home | Login | Logout | Access Information | Alerts |

Welcome United States Patent and Trademark Office ☐ Search Results **BROWSE SEARCH IEEE XPLORE GUIDE** Results for "(((soc) <and> (debug) <and> (functional blocks))<in>metadata)" ⊠e-mail Your search matched 0 documents. A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order. » Search Options View Session History **Modify Search New Search** (((soc) <and> (debug) <and> (functional blocks))<in>metadata) **>>** Check to search only within this results set » Key IEEE Journal or IEEE JNL Magazine **IEE JNL** IEE Journal or Magazine No results were found. IEEE CNF IEEE Conference Proceeding Please edit your search criteria and try again. Refer to the Help pages if you need assistan IEE Conference **IEE CNF** Proceeding IEEE STD IEEE Standard Help Contact Us Privacy &: © Copyright 2005 IEEE -

Indexed by #Inspec